



	Metric	Standard	Baffle Thickness	Weight	Blade/Rack	Blade Spacing
Configuration A	1016mm x 1219.2mm	40 in. x 48 in.	12mm (0.47 in.)	20.7 lbs	8	152.4mm (6in.)
Configuration B	1193.8mm x 1219.2mm	47 in. x 48 in.	12mm (0.47 in.)	23.5 lbs	8	152.4mm (6in.)
Configuration C	1828.8mm x 1219.2mm	72 in. x 48 in.	12mm (0.47 in.)	36.4 lbs	8	152.4mm (6in.)
Configuration D	2387.6mm x 1219.2mm	94 in. x 48 in.	12mm (0.47 in.)	45.9 lbs	8	152.4mm (6in.)
Configuration E	1016mm x 2438.4mm	40 in. x 96 in.	12mm (0.47 in.)	40.5 lbs	16	152.4mm (6in.)
Configuration F	1193.8mm x 2438.4mm	47 in. x 96 in.	12mm (0.47 in.)	46 lbs	16	152.4mm (6in.)
Configuration G	1828.8mm x 2438.4mm	72 in. x 96 in.	12mm (0.47 in.)	69.4 lbs	16	152.4mm (6in.)
Configuration H	2387.6mm x 2438.4mm	94 in. x 96 in.	12mm (0.47 in.)	88.5 lbs	16	152.4mm (6in.)
Configuration I	1016mm x 2438.4mm	40 in. x 96 in.	12mm (0.47 in.)	271 lbs	8	304.8mm (12in.)
Configuration J	1193.8mm x 2438.4mm	47 in. x 96 in.	12mm (0.47 in.)	30.4 lbs	8	304.8mm (12in.)
Configuration K	1828.8mm x 2438.4mm	72 in. x 96 in.	12mm (0.47 in.)	44.8 lbs	8	304.8mm (12in.)
Configuration L	2387.6mm x 2438.4mm	94 in. x 96 in.	12mm (0.47 in.)	56.2 lbs	8	304.8mm (12in.)

All specs refer to singular products and not multiples unless specified. Custom options available upon request. See configurations for design options.

EchoSky

Today's open offices, hard-surfaced conference rooms and minimalist-inspired meeting spaces can result in acoustic distraction. EchoSky, made of sound-absorbing EchoPanel, helps reduce sonic and visual over-stimulation for healthy, functional spaces. This modular kit of parts installs easily and creates a unique ceiling addition to any open space.

NRC (SOUND ABSORPTION RATING): ASTM C423-90A

While all EchoPanel products offer varying degrees of sound absorption, not all have been tested for NRC using the ASTM standard test method for sound absorption.

Fire Rating

ASTM E84 Class C (Class A treatment available.)

VOC Emissions


ASTM D5116 <0.07mg/m²/hr. (7 Days)



Available EchoSky Configurations


Configuration A

40"L x 9"D Blades
48"L x 24"W Rack
6" Blade spacing




Configuration B

47"L x 9"D Blades
48"L x 24"W Rack
6" Blade spacing




Configuration C

72"L x 9"D Blades
48"L x 48"W Rack
6" Blade spacing




Configuration D

94"L x 9"D Blades
48"L x 48"W Rack
6" Blade spacing




Configuration E

40"L x 9"D Blades
96"L x 24"W Rack
6" Blade spacing



Configuration F


47"L x 9"D Blades
96"L x 24"W Rack
6" Blade spacing



Available EchoSky Configurations


Configuration G

72"L x 9"D Blades
96"L x 48"W Rack
6" Blade spacing




Configuration H

94"L x 9"D Blades
96"L x 48"W Rack
6" Blade spacing




Configuration I

40"L x 11.5"D Blades
96"L x 24"W Rack
12" Blade spacing




Configuration J

47"L x 11.5"D Blades
96"L x 24"W Rack
12" Blade spacing




Configuration K

72"L x 11.5"D Blades
96"L x 48"W Rack
12" Blade spacing



Configuration L


94"L x 11.5"D Blades
96"L x 48"W Rack
12" Blade spacing



Available solid colors



Hardware & Installation



EchoSky Close-up View

Ceiling

Each EchoSky set comes as a kit of parts including: EchoPanel baffles, pre-drilled lightweight aluminum rack tubing, corner connectors, aluminum baffle channels with set screws and eyebolts for hanging.

Please note that Kirei does not provide aircraft cable or ceiling hardware. Download our EchoSky Installation Guide on the website for detailed installation information.