



Mura Wallcovering I 442



Mura Wallcovering I Volt 108

	Roll Width	Roll Length	Thickness	Weight	LF/Roll
6m Roll	1210mm (47.6 in.)	6m (236.2 in.)	1.9mm	7 lbs	19.7 LF
23m Roll	1210mm (47.6 in.)	23m (905.5 in.)	1.9mm	34 lbs	75.5 LF
25m Roll	1210mm (47.6 in.)	25m (984.3 in.)	1.9mm	34 lbs	82 LF
105m Roll	1210mm (47.6 in.)	105m (4133.9 in.)	1.9mm	102 lbs	344.5 LF

All specs refer to singular products and not multiples unless specified. Due to the nature of the material, cutting and fabrication process, minor dimensional variances may occur. Custom options available upon request. See configurations for design options. Regularly stocked lengths are 23m and 25m. For more information on 6m and 105m inventory, please contact Kirei.

Mura Wallcovering

EchoPanel® Mura wallcovering is an innovative, cost-effective wallcovering solution that adds sound absorption and dynamic visual design to your space.

This product comes in various roll lengths, depending on the needs of your design and space. With both solid colors and unique prints, Mura is a flexible, stylish acoustic solution for your office partitions, desks and walls.

NRC (SOUND ABSORPTION RATING): AS ISO 354 - 2006

Mura Wallcovering: NRC .10

Fire Rating

ASTM E84 Class A

VOC Emissions

CDPH (CA 01350) Compliant; TVOC: <0.5 mg/m3

Ecospecifier GreenTag Compliant;
TVOC: 0.015 mg/m2/hr (ASTM D5116)



Mura Wallcovering I Quattro 468

ECHOPANEL WALLCOVERINGS: MURA

Available Solid Colors



101



108



258



361



365



402



442




444



454



458



489



542



577



609



629



908



Available Prints




Biline 454*
6m | 25m
*Embossed




Dart 454
6m | 25m




Glow 325
6m | 23m



Haku 201*
6m | 25m
*Metallic



Jaali 500
6m | 25m




Key 100
6m | 25m



Kome 500
6m | 25m



Nami 440
6m | 25m




Otto 108
6m | 25m



Quattro 108
6m | 25m



Volt 108
6m | 25m



Cube 442
6m | 23m



Hex 442
6m | 23m




Pentagon 442
6m | 23m



Mura Wallcovering | Glow 365

Hardware



Mount

When mounting use standard construction adhesives (e.g. Liquid Nails/Titebond - NOT PVA glue). Clean and prepare surface per adhesive guidelines. Spread adhesive evenly on panel back, leaving 2" space at edges. Adhere to wall surface, providing bracing to hold material against surface per adhesive open time/instructions.