


# TEXTURE TILES

INSTALLATION GUIDE



**kirei**

# IMPORTANT INFORMATION

## Installation

Please read the entire Installation Guide prior to application. This installation guide is intended to provide installers with helpful information regarding Texture Tiles prior to installation. Kirei accepts no responsibility for installation actions taken or not taken. This installation guide is not intended to be an in-depth guide; installer's knowledge as an experienced tradesman needs to be applied.

If you have questions about application or techniques, contact Kirei. Kirei will not be responsible for any cutting or mounting not performed by Kirei staff.

## Terms of Trade

All Texture Tiles are inspected prior to shipment. Kirei is not responsible for damage in shipment or in storage; customers should carefully inspect all items at time of delivery and note any obvious damage on the delivery receipt. For the customer's protection, subsequently discovered concealed damage must be reported immediately to the carrier. Claims to Kirei will not be considered if the sheet has been worked on by the customer or others. No claims for labor charges will be allowed in any circumstances.

## Work Safety

In the interest of work safety, it is recommended that people working with Texture Tiles wear the appropriate safety equipment. Although the product emits zero off-gases, masks and gloves should be worn to ensure the maximum possible safety precautions. For an SDS form, please contact Kirei.

## Cleaning

See the [Handling and Cleaning Guide](#) for more information.

## Texture Tile Specs

See the [Texture Tile Spec Sheet](#) for product details and information.

## Product & Installation Questions


PH: 619.236.9924

Email: [info@kireiusa.com](mailto:info@kireiusa.com)


Web: [kireiusa.com](http://kireiusa.com)

# HANDLING


Carry boxes and tiles upright.




Keep all surfaces clean for storage and fabrication.




Store boxes and tiles flat.




Store in a cool, dry place with no direct sun. Avoid 145 degree temperatures or greater.




Wear gloves for handling light colors.




Upon delivery, inspect all goods for order corrections and damage.



Keep product dry and avoid humidity.




Protect the edges.



# DIMENSIONS

## Texture Tile Front View




## Texture Tile Side View



## TOOLS MAY BE NEEDED



Level




Drill



Adhesive




Screw Driver



Tape Measure

Not all tools are needed for installation, but depending on install choice, could be used.

## ITEMS INCLUDED




Texture Tiles (16 per box)

# INSTALLATION


Texture Tiles can be adhered to walls and ceiling using adhesive or mechanical fasteners. Adhesive is the recommended installation method for Texture Tiles.

The recommended adhesives to use with Texture Tiles include Loctite PowerGrab Construction Adhesive, Loctite PL 3X Premium Construction Adhesive, Liquid Nails LN903 Heavy-Duty Construction Adhesive, AFM Safecoat Almighty Adhesive (solvent free solution), and ChemLink BuildSecure Construction Adhesive (solvent free solution). **Do not use PVA Glue for an adhesive for Texture Tiles.**

- 1** Clean and prepare surface per adhesive guidelines, then apply adhesive evenly on tile back leaving room at edges for glue to spread.




- 2** Adhere to wall surface per layout and maintain even pressure per adhesive manufacturer time and instructions. Clean off any excess adhesive.




# INSTALLATION

3

When a continuous pattern is desired from tile to tile, ensure tiles are abutted in the same direction as only one side will allow perfect peak pattern alignment.




Abutted Tiles in Rotated Pattern



Abutted Tiles in Continuous Pattern

Note: Texture Tile peaks in the continuous pattern installation need to be aligned in parallel motion at edges, as seen in the drawing below.



# kirei

## CONTACT INFORMATION

Phone: 619.236.9924

Email: [info@kireiusa.com](mailto:info@kireiusa.com)

Web: [kireiusa.com](http://kireiusa.com)

---

### Our Mission

Kirei strives to inspire a beautiful world by providing architects, interior designers, and placemakers with sustainable architectural design elements for inspiring healthy spaces.

### Committed To Sustainability

Kirei prioritizes sustainable design in our materials and our process. Our products must contain a minimum of 50% or more recycled material, meet or exceed CDPH standards for VOCs, and must be Red List Free and Declare Label qualified/certified. From tiles made of plastic bottles to baffles filled with Nike Grind, being "green" is a key quality of all our products.

### Our Proven Process

Our proven process is simple and guides all that we do. We listen and learn the needs of a designer's project to inspire and assist through the specification process. We get the spec right, working with installers and contractors to get accurate bid information. We provide best-in-class service that includes reliable delivery and installer support, ensuring that each project gets exactly what it needs when it needs it. Finally, we celebrate the designer, their project, and the win!