



Suspend Panel



EchoScreen Suspend Cross Section with Rolling Track | Colors 365 (Navy), 381 (Lime Splice), 551 (Duck Egg)

Style	Metric	Standard	Thickness	Weight/Screen	SF/Screen
Suspend Panel	1168.4mm x 2387.6mm	46 in. x 94 in.	12mm / 24mm	15 lbs / 18 lbs	30

All specs refer to singular products and not multiples unless specified. Due to the nature of the material, cutting and fabrication process, minor dimensional variances may occur. If ordering in 24mm thickness, certain designs will have to be modified to accommodate this thickness. Custom options available upon request. EchoScreen Suspend is sold individually and ships flat.

EchoScreen Suspend

Privacy is precious. Today’s open-plan offices, schools, and living quarters can result in visual and acoustic distraction. EchoScreen Suspend, made of sound-absorbing EchoPanel®, helps reduce sonic and visual over-stimulation for healthy, productive spaces. Suspend room dividers, which can be mounted to the ceiling or walls, are a great modular solution for visual and acoustic space division in today’s open environments.

NRC (SOUND ABSORPTION RATING): ASTM C423-90A

Standard EchoPanel NRC acoustic data is available for acoustic calculations. Please contact Kirei for this test data.

Fire Rating

ASTM E84 Class A

VOC Emissions


CDPH (CA 01350) Compliant; TVOC: <0.5 mg/m3
 Ecospecifier GreenTag Compliant;
 TVOC: 0.015 mg/m2/hr (ASTM D5116)




EchoScreen Suspend Cross Section | Color 276 (Lavender)

ECHOPANEL: ECHOSCREEN® SUSPEND


Available Standard EchoScreen Suspend Designs




Capsules




Cross Section




Dot Dash




Dot Dash Hi Lo




Byte




Levels




Perfection




Gradient



Honeycomb



Less Is More




Off The Grid




Architecture & Design: ID Studios
Photography: Joel Zwink | Client: Lytx, Inc.
Project: Lytx Headquarters, San Diego, CA

EchoScreen Suspend 3 Little Birds | Color 444 (Smoke)

Available EchoScreen Suspend Triptychs



3 Little Birds



School Is In

Available Solid Colors



EchoScreen Suspend 3 Little Birds | Color 633 (Pacific)

Customize it!

Have a design in mind for EchoScreen Suspend? Contact Kirei for information on how to create custom EchoScreen Suspend.

Hardware & Installation

EchoScreen Suspend can be hung from ceilings or walls using standard provided hardware or custom installation. Download the EchoScreen Suspend Installation Guide at www.kireiusa.com for detailed information.


Wall

EchoScreen Suspend may be mounted on walls using adhesive, screws or standoffs, and may even be mounted on glass using suction cups.

Ceiling

Each standard EchoScreen Suspend panel includes our proprietary aluminum channel track, plus two attachment hardware sets. Hanging options include 1/4"-20 set screw and eyebolt fasteners to enable hanging with cable, rod and other premium hanging hardware.

Visit www.kireiusa.com and download the EchoScreen Suspend Installation Guide to see additional hardware capabilities.




EchoScreen with Channel Track

Rolling Track

EchoScreen Suspend may be used as a movable wall element by mounting panels using the EchoScreen Rolling Track. The Rolling Track can be installed in continuous runs, or side-by-side for bypass or overlapping screens.

For more information on the Rolling Track installation method, please review the EchoScreen Suspend Installation guide available at www.kireiusa.com.



EchoScreen Rolling Track



EchoScreen Suspend Honeycomb with Rolling Track | Colors 124 (Ochre), 542 (Black), 908 (Cream)



EchoScreen Suspend Gradient | Color 101 (Frost)